



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/549,895	08/07/2006	Rangaswamy G. Iyengar	TESZ 200196US01	7192
27885	7590	04/30/2010		
FAY SHARPE LLP				
1228 Euclid Avenue, 5th Floor				
The Halle Building				
Cleveland, OH 44115				
EXAMINER				
KIM, CHRISTOPHER S				
ART UNIT		PAPER NUMBER		
3752				
MAIL DATE		DELIVERY MODE		
04/30/2010		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/549,895

Applicant(s)

IYENGAR ET AL.

Examiner

Christopher S. Kim

Art Unit

3752

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 March 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4-6,8,9 and 21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,4-6,8,9 and 21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/S508)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Response to Amendment

1. The response filed March 24, 2010 is acknowledged.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Election/Restrictions

3. Applicant elected without traverse Species B (figure 2) in the reply filed on June 9, 2008.

Drawings

4. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "contours of the stem first end and the valve having contours that allow the first end to engage the valve in a non-sealing manner such that fluid can flow through the stem passage" recited in claim 1 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure

number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

5. Claims 1, 2, 4, 5, 6, 8, 9, 21 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claim 1 recites the limitation "contours of the stem first end and the valve having contours that allow the first end to engage the valve in a non-sealing manner such that fluid can flow through the stem passage" in lines 12-14. The specification discloses, on page 6, in paragraph 33, "Accordingly, it will be appreciated that when the end 86 of the fluid head engages the ball, the dimensional contours of these engaging components

allow fluid to enter the passage 84." The specification alleges contours but fails to teach what the contours are and how they engage in a non-sealing manner.

Claim Rejections - 35 USC § 102

6. Claims 1, 2, 4, 5, 6, 8, 9, 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Dunn (1,377,009).

Dunn discloses a spraying device comprising:

- a dispensing assembly having a handle 31 and an outlet 32;
- a passage 17;
- a valve 26;
- a first seat 27;
- a second seat 25;
- an elongated hollow movable stem 23.

7. Claims 1, 2, 4, 5, 6, 8, 9, 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Williams (4,887,744).

Williams discloses a spraying device comprising:

- a dispensing assembly having a handle 82 and an outlet 100;
- a passage 32, 130;
- a valve 36, 136;
- a first seat 48, 134;
- a second seat 34, 132;
- an elongated hollow movable stem 90.

Response to Arguments

8. Applicant's arguments filed March 24, 2010 have been fully considered but they are not persuasive.

Applicant argues that stem 23 of Dunn is not movable. Claim 1 recites the limitation "an elongated, hollow stem movable relative to the internal passage..." The recitation "movable" merely requires the stem to be capable of movement. Dunn discloses, on page 1, in lines 98-101, that pipe 23 extends into chamber 17 through pipe 16. Pipe 23 and pipe 16 are separate elements. The two pipes are not precluded from moving relative to each other. Dunn further discloses, on page 1, in line 110 through page 2, line 2, that the distance between cup 25 and cone 27 is such that the ball 26 cannot pass therebetween. Even if pipe 23 is prefabricated to determine the distance between cup 25 and cone 17, pipe 23 possesses the capability to be movable within passage 17 because pipe 23 is a separate element from pipe 16 and chamber 17.

Applicant argues that Williams does not disclose a contour at the end of the stem 90 that allows the first end of the stem 90 to engage the valve in a non-sealing manner such that fluid can flow through the stem passage. Williams discloses a first end of stem 90 having a contours 49, 98.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571) 272-4905. The examiner can normally be reached on Monday - Friday, 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on (571) 272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christopher S. Kim/
Primary Examiner, Art Unit 3752

CK